

DAFTAR PUSTAKA

- Amrun, M., Umiyah, & Umayah, E., 2007, Uji Aktivitas Antioksidan Ekstrak Air Dan Ekstrak Metanol Beberapa Varian Buah Kenitu (*Chrysophyllum cainito* L.) dari daerah Jember. Berk. Penel. *Hayati* 2007;13:45-50
- Apak, R., Guclu, K., Demirata, B., Ozyurek, M., & Celik, S. E., 2007, Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with the CUPRAC Assay, *Molecules*, 12, 1496-1547
- Ariyanto, R., 2006, Uji Aktivitas Antioksidan, Penentuan Kandungan Fenolik dan Flavonoid Total Fraksi Kloroform dan Fraksi Air Ekstrak Metanolik Pegagan (*Centella asiatica* L. Urban.), *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada
- Arry, M., Sapei, L., Budiono, K. & Indra, S., 2011, Ekstraksi Antioksidan Dari Kulit Buah Manggis (*Garcinia mangostana* L.), *Lembaga Penelitian Dan Pengabdian Kepada Masyarakat*, Universitas Katolik Parahyangan Bandung
- Bhuiyan, M. A. R., & Hoque, M. Z., 2010, Free Radical Scavenging Activities Of Zizyphus Mauritiana, *Elec J Envir Agricul Food Chem*, 9 (1): 199 – 2
- Cailet, S., Salmieri, S., & Lacroix, M., 2004, Evaluation of Free Radical Scavenging Properties of Comercial Grape Phenols Extracts by a Fast Colorimetric Method. *El sивier, Food Chemistry* 95,1 -8
- Cronquist, A., 1981, An Integrated System of Classification of Flowering Plants, New York, Columbia University Press
- Da Silva, L.B., Da Silva, U.L.L., Mahendran, M & Jennings, R.C., 1980, 4'-Hydroxy-3,5,6,7,3',5'- hexamethoxy flavone, *Phytochemistry*, 19, 2794
- Daud, F. M., Sadiyah, R. E., & Rismawati, E., 2011, Pengaruh Perbedaan Metode Ekstraksi Terhadap Aktivitas Antioksidan Ekstrak Etanol Daun Jambu Biji (*Psidium Guajava* L.), *Program Studi Farmasi*, Universitas Islam Bandung
- Depkes RI, 1995, *Farmakope Indonesia*, Edisi keempat, Jakarta, Depkes RI. 9-665
- Dewi, J.R., Estiasih, T., Murtini, S.E., 2007, Aktivitas Antioksidan Dedak Sorgum Lokal Varietas Coklat (*Sorghum bicolor*) Hasil Ekstraksi Berbagai Pelarut, *Fakultas Teknologi Pertanian*, Universitas Brawijaya. Vol.8,No.3,188-197

- Elmastas, M., Gulcin, I., 2006, Radical scavenging activity and antioxidant capacity of bay leaf extracts, *J. Iran. Chem. Soc* 3:258–266
- Emekli-Alturfan, E., Kasikci, E., Yarat, A., 2009, Effects of oleic acid on the tissue factor activity, blood lipids, antioxidant and oxidant parameters of streptozotocin induced diabetic rats fed a highcholesterol diet. *Med.Chem. Res.* DOI: 10.1007/s00044-009-9247-z
- Elmastas, M., Isildak, O., Turkekul, I., & Temur, N., 2007, Determination of antioxidant activity and antioxidant compounds in wild edible mushrooms, *J. Food Compos. Anal.* 20: 337-345
- Gill, M. I., Tomas, F. A. B., Pierce, B. H., & Kader, A. A., 2002, Antioxidant Capacities, Phenolic Compounds, Carotenoids, and Vitamin C Contents of Nectarine, Peach, and Plum Cultivars from California, *J. Agric. Food Chem*, 50, 4976-4982
- Harborne, J. B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, diterjemahkan oleh Padmawinata & Soediro, Bandung Penerbit ITB, : 47-71
- Hariyatmi, 2004, Kemampuan Vitamin E sebagai Antioksidan terhadap Radikal Bebas pada Lanjut Usia. *J MIPA* 14 (1): 52-60
- Jose, P., dan Noemi, C., 2008, Medicinal properties of mangosteen (*Garcinia mangostana*), Facultad de Quimica, Departamento de Biologia, Universidad Nacional Autonoma de Mexico (UNAM), Ciudad Universitaria, 04510 Mexico, DF, Mexico
- Lim, Y. Y., Lim, T. T., & Tee, J. J., 2007, Antioxidant Properties of Several Tropical Fruits: A Comparative Study, *Food Chemistry*, 103, 1003–1008
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarin J. Sci. Technol.* , 26(2), 211-21
- Nakiboglu, M., Urek, R. O., Kayali, H. A., & Tarhan, L., 2007, Antioxidant capacities of endemic *sideritis sipylea* and *origanum sipyleum* from turkey, *Food Chemistry* (104), 630–635
- Pisoschi, A. M., & Negulescu, G. P., 2011, Methods for Total Antioxidant Activity Determination: A Review, *Biochem & Anal Biochem.* , 1(1)
- Praksh, D., Suri, S., Upadhyav, G., & Singh, B. N., 2007, Total Phenol Antioxidant, And Free Radical Scavenging Activities Of Some Medical Plants, *Int J Food Sci Nurtr* 58 (1) : 18 – 28

- Rahmat, A., Kumar, V., Fong, L. M., Endrini S., & Sani H. A., 2003, Determination of total antioxidant activity in three types of local vegetables shoots and the cytotoxic effect of their ethanolic extracts against different cancer cell lines. *Asia Pac. J. Clin. Nutr.* 12(3): 292 - 295
- Rezaeizadeh, A., ABZ Zuki., Abdollahi, M., YM Goh, MM Noordin³, M Hamid & TI Azmi, 2011, Determination of antioxidant activity in methanolic and chloroformic extracts of *Momordica charantia*, *African Journal of Biotechnology*, Vol. 10(24), pp. 4932-4940
- Reynertson, K. A., 2007, *Phytochemical Analysis of Bioactive Constituents from Edible Myrtaceae Fruit*, The City University of New York, New York
- Rohman, A., dan S. Riyanto., 2005, Daya Antioksidan Ekstrak Etanol Daun Kemuning (*Murraya paniculata* (L) Jack) secara in vitro, *Majalah Farmasi Indonesia*, 16 (3): 136-140
- Saha, K., Lajis, N. H., Israf, D. A., Hamzah, A. S., Khozirah S., Khamis S., & Syahida A., 2004, Evaluation of antioxidant and nitric oxide inhibitory activities of selected Malaysian medicinal plants, *J. Ethnopharmacol.* 92(2-3): 263-267
- Stevi, G. D., Dewa, G. K., & Vanda, S. K., 2012, Aktivitas Antioksidan Ekstrak Fenolik dari Kulit Buah Manggis (*Garcinia mangostana* L.), *Jurnal Mipa Unsrat Online*, 1 (1), 11-15
- Suksamram, S., Orapin, K., Piniti, R., Nititat, C., Nattapat, L., & Apichart, S., 2006, Cytotoxic Prenylated Xanthenes From The Young Fruit Of *Garcinia Mangostana*, *Chem, Pharm Bull*, 54(3) 301-305
- Supari, F., 1996, Radikal Bebas dan Patofisiologi Beberapa Penyakit Prosiding Senyawa Radikal dan Sistem Pangan: Reaksi Biomolekuler, Dampak Terhadap Kesehatan, dan Penangkalan Kerjasama Pusat Studi Pangan Dan Gizi Institut Pertanian Bogor Dan Kedutaan Besar Prancis, Jakarta
- Vaya and Aviram, 2001, Nutritional antioxidant: mechanism of action, analyses of activities and medical applications, *Curr. Med. Chem-Imm, Endoc. & Metab, Agents*
- Winarsi, H., 2011, *Antioksidan Alami dan Radikal Bebas*, Kanisius, Yogyakarta, hal. 71-76
- Windono, T., Soediman, S., Yudawati, U., Ermawati, E., Srielita, A., & Erowati, T. L., 2001, Uji Peredam Radikal Bebas Terhadap 1,1- Diphenyl-2- Picrylhydrazil (DPPH) dari Ekstrak Kulit Buah dan Biji Anggur (*Vitis vinifera* L.) Probolinggo Biru dan Bali, *Artocarpus*, Vol.1, No.1.

- Yoshikawa, M., Harada, E., Miki, A., Tsukamoto, K., Liang, S. Q., Yamahara, J., Murakami, N., 1994, Antioxidant constituents from the fruit hulls of mangosteen (*Garcinia mangostana*) originating in Vietnam. *Yakugaku Zasshi*, hal. 114, 129- 33
- Yu Lin, H. Kuo, Y.H. Lin, Y.L. dan Chiang, W., 2009, Antioxidative effect and active components from leaves of lotus (*Nelumbo nucifera*), *Journal of Agricultural and Food Chemistry* (57), 6623–6629
- Zou Y., Lu Y., & Wei D., 2004, Antioxidant Activity of Flavonoid Rich Extrate of *Hypericum perforatum* L In Vitro, *J Agric Food Chem* 52, 5032-9